QUANTUM FOODSERVICE

SOLID SHELVING

DESIGN: The solid steel design of these shelves is ideal for storage of small parts that might normally fall through wire shelves. Dual layer construction with double hemmed perimeter and marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance.

CONSTRUCTION: All welded solid shelves are constructed of 18 gauge galvanized steel or 304 stainless steel.

FINISH:

Galvanized - *is known as a hot-dipping process in which the steel is dipped in molten zinc. This extra layer adds corrosion resistance to the finalized product. Recommended to be used in any application in a dry storage environment. 1-year limited warranty.*

Stainless Steel - *304 Stainless with an electro-polish finish represents the highest industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. Lifetime warranty for 304 stainless steel electro-polish finish.*

ADAPTABLE: By using various accessories, hundreds of shelving configurations become possible.

QUICK, EASY ASSEMBLY: Posts have a double groove visual guide feature every 8", circular grooves at 1" increments, and are numbered at 1" intervals. Tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.

ADJUSTABLE: Shelves can be adjusted at 1" intervals along length of the post.

ACCESSIBILITY: Racks can be loaded/unloaded easily from all sides.

NSF APPROVED

SHIPS KD

18 GAUGE GALVANIZED STEEL

304 STAINLESS STEEL



Highest Quality, Lowest Price Guaranteed!
QUANTUM FOOD SERVICE
15800 NW 15TH AVENUE, MIAMI, FLORIDA 33169 **TOLL-FREE:** (888) 993-3370 **FAX:** (954) 369-2512
E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM

SOLID SHELVING

SOLID SHELVES

- *Plastic Split Sleeves - are included with each shelf*
  Model No: WR-SS (4 Pairs)

- *Plastic Conductive Split Sleeves - are available for conductive applications*
  Model No: WR-SSCO (4 Pairs)

- *Aluminum Split Sleeves - are recommended for extreme mobile and conductive applications*
  Model No: ESD-SS (4 Pairs)

- *Load capacity (evenly distributed) per shelf*
  Widths: 14" to 24"
  Lengths: 600 Lbs. for 24" to 48"
  400 Lbs. for 54" or longer



SHELF W" x L"	SHIP WGT	GALVANIZED STEEL MODEL NO.	STAINLESS STEEL MODEL NO.
14" Deep - Solid Shelves			
14" x 36"	14 lbs	1436SG	1436SS
14" x 42"	15 lbs	1442SG	1442SS
14" x 48"	17 lbs	1448SG	1448SS
14" x 54"	20 lbs	1454SG	1454SS
14" x 60"	22 lbs	1460SG	1460SS
14" x 72"	26 lbs	1472SG	1472SS
18" Deep - Solid Shelves			
18" x 24"	11 lbs	1824SG	1824SS
18" x 30"	14 lbs	1830SG	1830SS
18" x 36"	16 lbs	1836SG	1836SS
18" x 42"	18 lbs	1842SG	1842SS
18" x 48"	20 lbs	1848SG	1848SS
18" x 54"	22 lbs	1854SG	1854SS
18" x 60"	24 lbs	1860SG	1860SS
18" x 72"	27 lbs	1872SG	1872SS
21" Deep - Solid Shelves			
21" x 24"	13 lbs	2124SG	2124SS
21" x 30"	15 lbs	2130SG	2130SS
21" x 36"	18 lbs	2136SG	2136SS
21" x 42"	21 lbs	2142SG	2142SS
21" x 48"	23 lbs	2148SG	2148SS
21" x 54"	25 lbs	2154SG	2154SS
21" x 60"	28 lbs	2160SG	2160SS
21" x 72"	30 lbs	2172SG	2172SS
24" Deep - Solid Shelves			
24" x 24"	15 lbs	2424SG	2424SS
24" x 30"	17 lbs	2430SG	2430SS
24" x 36"	19 lbs	2436SG	2436SS
24" x 42"	22 lbs	2442SG	2442SS
24" x 48"	24 lbs	2448SG	2448SS
24" x 54"	26 lbs	2454SG	2454SS
24" x 60"	31 lbs	2460SG	2460SS
24" x 72"	34 lbs	2472SG	2472SS

POSTS

- *Numbered grooved posts on 1" increments for quick assembly*

- *Post Leveler Insert & Leveling Bolt - use to account for uneven floors, it adjusts up or down allowing height flexibility*
  Leveler Insert:
  Model No: W-PLI
  Leveling Bolt:
  Model No: W-PLB

POST H"	SHIP WGT	STAINLESS STEEL MODEL NO.
6"	1 lbs	P6S
14"	1 lbs	P14S
34"	2 lbs	P34S
42"	2 lbs	P42S
54"	3 lbs	P54S
63"	4 lbs	P63S
74"	4 lbs	P74S
86"	5 lbs	P86S
96"	6 lbs	P96S

Split Sleeve

Aluminum Split Sleeve

Leveler Insert & Leveling Bolt

Highest Quality, Lowest Price Guaranteed!

QUANTUM FOOD SERVICE
15800 NW 15TH AVENUE, MIAMI, FLORIDA 33169 **TOLL-FREE:** (888) 993-3370 **FAX:** (954) 369-2512
E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM

QUANTUM FOODSERVICE

SOLID SHELVING

SHELVING UNITS



DB
Donut Bumper
Non-marking donut bumper used to protect walls and help cushion impact. Sold individually. Measures 3" diameter.

WR-00H
Polyurethane Casters
Sold as a set of 4 casters, 2 with brake. Measures 5" x 1-1/4".

QSMC
Shelf Clamp
Shelf Clamps eliminates 2 posts per shelving section. Sold individually. ***Finish:*** *Aluminum.*

Starter Kits come complete with 4 shelves and 4 posts. Additional shelves may be purchased separately.

Additional Add-On Kits allows you to expand your Starter Kit by sharing a set of posts. Configuration options include side to side, back to back and right angles *(L-Shape)*. Add-On units come complete with 4 shelves, 2 posts and 8 shelf clamps *(2 Shelf Clamp must be used for each shelf)*. Additional shelves and posts may be purchased separately. Units with Add-On Kits cannot be made mobile.

18 GAUGE GALVANIZED STEEL					
74"H STARTER UNIT			74"H ADD-ON UNIT		
DIMENSIONS	SHIP WGT	MODEL NO.	DIMENSIONS	SHIP WGT	MODEL NO.
14" x 36" x 74"	72 lbs	WR74-1436SG	14" x 36" x 74"	67 lbs	AD74-1436SG
14" x 42" x 74"	76 lbs	WR74-1442SG	14" x 42" x 74"	71 lbs	AD74-1442SG
14" x 48" x 74"	84 lbs	WR74-1448SG	14" x 48" x 74"	79 lbs	AD74-1448SG
14" x 54" x 74"	96 lbs	WR74-1454SG	14" x 54" x 74"	91 lbs	AD74-1454SG
14" x 60" x 74"	104 lbs	WR74-1460SG	14" x 60" x 74"	99 lbs	AD74-1460SG
14" x 72" x 74"	120 lbs	WR74-1472SG	14" x 72" x 74"	115 lbs	AD74-1472SG
18" x 24" x 74"	60 lbs	WR74-1824SG	18" x 24" x 74"	55 lbs	AD74-1824SG
18" x 30" x 74"	72 lbs	WR74-1830SG	18" x 30" x 74"	67 lbs	AD74-1830SG
18" x 36" x 74"	80 lbs	WR74-1836SG	18" x 36" x 74"	75 lbs	AD74-1836SG
18" x 42" x 74"	88 lbs	WR74-1842SG	18" x 42" x 74"	83 lbs	AD74-1842SG
18" x 48" x 74"	96 lbs	WR74-1848SG	18" x 48" x 74"	91 lbs	AD74-1848SG
18" x 54" x 74"	104 lbs	WR74-1854SG	18" x 54" x 74"	99 lbs	AD74-1854SG
18" x 60" x 74"	112 lbs	WR74-1860SG	18" x 60" x 74"	107 lbs	AD74-1860SG
18" x 72" x 74"	124 lbs	WR74-1872SG	18" x 72" x 74"	119 lbs	AD74-1872SG
21" x 24" x 74"	68 lbs	WR74-2124SG	21" x 24" x 74"	63 lbs	AD74-2124SG
21" x 30" x 74"	76 lbs	WR74-2130SG	21" x 30" x 74"	71 lbs	AD74-2130SG
21" x 36" x 74"	88 lbs	WR74-2136SG	21" x 36" x 74"	83 lbs	AD74-2136SG
21" x 42" x 74"	100 lbs	WR74-2142SG	21" x 42" x 74"	95 lbs	AD74-2142SG
21" x 48" x 74"	108 lbs	WR74-2148SG	21" x 48" x 74"	103 lbs	AD74-2148SG
21" x 54" x 74"	116 lbs	WR74-2154SG	21" x 54" x 74"	111 lbs	AD74-2154SG
21" x 60" x 74"	128 lbs	WR74-2160SG	21" x 60" x 74"	123 lbs	AD74-2160SG
21" x 72" x 74"	136 lbs	WR74-2172SG	21" x 72" x 74"	131 lbs	AD74-2172SG
24" x 24" x 74"	76 lbs	WR74-2424SG	24" x 24" x 74"	71 lbs	AD74-2424SG
24" x 30" x 74"	84 lbs	WR74-2430SG	24" x 30" x 74"	79 lbs	AD74-2430SG
24" x 36" x 74"	92 lbs	WR74-2436SG	24" x 36" x 74"	87 lbs	AD74-2436SG
24" x 42" x 74"	104 lbs	WR74-2442SG	24" x 42" x 74"	99 lbs	AD74-2442SG
24" x 48" x 74"	112 lbs	WR74-2448SG	24" x 48" x 74"	107 lbs	AD74-2448SG
24" x 54" x 74"	128 lbs	WR74-2454SG	24" x 54" x 74"	123 lbs	AD74-2454SG
24" x 60" x 74"	140 lbs	WR74-2460SG	24" x 60" x 74"	135 lbs	AD74-2460SG
24" x 72" x 74"	152 lbs	WR74-2472SG	24" x 72" x 74"	147 lbs	AD74-2472SG

304 STAINLESS STEEL					
74"H STARTER UNIT			74"H ADD-ON UNIT		
DIMENSIONS	SHIP WGT	MODEL NO.	DIMENSIONS	SHIP WGT	MODEL NO.
14" x 36" x 74"	72 lbs	WRS4-74-1436SS	14" x 36" x 74"	67 lbs	WRSAD4-74-1436SS
14" x 42" x 74"	76 lbs	WRS4-74-1442SS	14" x 42" x 74"	71 lbs	WRSAD4-74-1442SS
14" x 48" x 74"	84 lbs	WRS4-74-1448SS	14" x 48" x 74"	79 lbs	WRSAD4-74-1448SS
14" x 54" x 74"	96 lbs	WRS4-74-1454SS	14" x 54" x 74"	91 lbs	WRSAD4-74-1454SS
14" x 60" x 74"	104 lbs	WRS4-74-1460SS	14" x 60" x 74"	99 lbs	WRSAD4-74-1460SS
14" x 72" x 74"	120 lbs	WRS4-74-1472SS	14" x 72" x 74"	115 lbs	WRSAD4-74-1472SS
18" x 24" x 74"	60 lbs	WRS4-74-1824SS	18" x 24" x 74"	55 lbs	WRSAD4-74-1824SS
18" x 30" x 74"	72 lbs	WRS4-74-1830SS	18" x 30" x 74"	67 lbs	WRSAD4-74-1830SS
18" x 36" x 74"	80 lbs	WRS4-74-1836SS	18" x 36" x 74"	75 lbs	WRSAD4-74-1836SS
18" x 42" x 74"	88 lbs	WRS4-74-1842SS	18" x 42" x 74"	83 lbs	WRSAD4-74-1842SS
18" x 48" x 74"	96 lbs	WRS4-74-1848SS	18" x 48" x 74"	91 lbs	WRSAD4-74-1848SS
18" x 54" x 74"	104 lbs	WRS4-74-1854SS	18" x 54" x 74"	99 lbs	WRSAD4-74-1854SS
18" x 60" x 74"	112 lbs	WRS4-74-1860SS	18" x 60" x 74"	107 lbs	WRSAD4-74-1860SS
18" x 72" x 74"	124 lbs	WRS4-74-1872SS	18" x 72" x 74"	119 lbs	WRSAD4-74-1872SS
21" x 24" x 74"	68 lbs	WRS4-74-2124SS	21" x 24" x 74"	63 lbs	WRSAD4-74-2124SS
21" x 30" x 74"	76 lbs	WRS4-74-2130SS	21" x 30" x 74"	71 lbs	WRSAD4-74-2130SS
21" x 36" x 74"	88 lbs	WRS4-74-2136SS	21" x 36" x 74"	83 lbs	WRSAD4-74-2136SS
21" x 42" x 74"	100 lbs	WRS4-74-2142SS	21" x 42" x 74"	95 lbs	WRSAD4-74-2142SS
21" x 48" x 74"	108 lbs	WRS4-74-2148SS	21" x 48" x 74"	103 lbs	WRSAD4-74-2148SS
21" x 54" x 74"	116 lbs	WRS4-74-2154SS	21" x 54" x 74"	111 lbs	WRSAD4-74-2154SS
21" x 60" x 74"	128 lbs	WRS4-74-2160SS	21" x 60" x 74"	123 lbs	WRSAD4-74-2160SS
21" x 72" x 74"	136 lbs	WRS4-74-2172SS	21" x 72" x 74"	131 lbs	WRSAD4-74-2172SS
24" x 24" x 74"	76 lbs	WRS4-74-2424SS	24" x 24" x 74"	71 lbs	WRSAD4-74-2424SS
24" x 30" x 74"	84 lbs	WRS4-74-2430SS	24" x 30" x 74"	79 lbs	WRSAD4-74-2430SS
24" x 36" x 74"	92 lbs	WRS4-74-2436SS	24" x 36" x 74"	87 lbs	WRSAD4-74-2436SS
24" x 42" x 74"	104 lbs	WRS4-74-2442SS	24" x 42" x 74"	99 lbs	WRSAD4-74-2442SS
24" x 48" x 74"	112 lbs	WRS4-74-2448SS	24" x 48" x 74"	107 lbs	WRSAD4-74-2448SS
24" x 54" x 74"	128 lbs	WRS4-74-2454SS	24" x 54" x 74"	123 lbs	WRSAD4-74-2454SS
24" x 60" x 74"	140 lbs	WRS4-74-2460SS	24" x 60" x 74"	135 lbs	WRSAD4-74-2460SS
24" x 72" x 74"	152 lbs	WRS4-74-2472SS	24" x 72" x 74"	147 lbs	WRSAD4-74-2472SS

Highest Quality, Lowest Price Guaranteed!
QUANTUM FOOD SERVICE
15800 NW 15TH AVENUE, MIAMI, FLORIDA 33169 **TOLL-FREE:** (888) 993-3370 **FAX:** (954) 369-2512
E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM