



STERILE WRAP RACK

BULK STORAGE CATHETER PROCEDURE CART


COMBINATION STYLE CATHETER PROCEDURE CART



STERILE WRAP RACK
(SWR556EG, SWR566EG)




BULK STORAGE CATHETER PROCEDURE CART
(CPC55EC, CPC56EC)







**COMBINATION STYLE CATHETER
PROCEDURE CART**
(CPC3/2LC, CPCD3/2LC)

STERILE WRAP RACK BULK STORAGE CATHETER PROCEDURE CART — INSTRUCTIONS FOR USE

INSTRUCTIONS FOR USE (Two People Required For Assembly)




STERILE WRAP RACK INSTRUCTIONS FOR USE —BULK STORAGE CATHETER PROCEDURE CART




STERILE WRAP RACK BULK STORAGE CATHETER PROCEDURE CART — INSTRUCTIONS FOR USE

11


OFFSET WIRES FACE OUT



12




13




Top Groove
(TYP)

14



THIS COMPLETES THE ASSEMBLY
OF STERILE WRAP RACK

15




Top Groove
(TYP)


STERILE WRAP RACK

INSTRUCTIONS FOR USE —BULK STORAGE CATHETER PROCEDURE CART

16




18



**THIS COMPLETES THE ASSEMBLY
OF BULK STORAGE CATHETER
PROCEDURE CART**


17





LEDGE OVAL WIRES FACE OUTWARD



INSTRUCTIONS FOR USE

(Two People Required For Assembly)






COMBINATION STYLE CATHETER PROCEDURE CART — INSTRUCTIONS FOR USE


11

UP-52 Grooves




UP-8 Grooves

3rd Shelf




12




13


OFFSET WIRES FACE IN




14




15




17




16




18 INSTALL SUPER SLIDES AND HANGER BARS



19




21




20 INSTALL LEDGES, CATHETER HOOKS, BINS, BIN MARKERS AND TOTE BOXES

THIS COMPLETES THE ASSEMBLY OF
COMBINATION STYLE CATHETER
PROCEDURE CARTS



ACCESSORY ITEMS

Catheter Side Bar



LOAD RATINGS

The following are maximum safe load carrying capacities:

1. Catheter Hook - 5lbs. max. uniformly distributed.
2. Hanger Bar - 50 lbs. max. uniformly distributed.
3. Carriage - 200 lbs. max. uniformly distributed.

* Save this document for future application, load rating and/or safety reference.

© 2021 InterMetro Industries Corporation, Wilkes-Barre, PA 18705
L01-063 REV B 07/21



We put space to work.®

an Ali Group Company



The Spirit of Excellence